EU®
RO
CAMPING







Company

Forty years of experience to achieve excellence

Eurocamping has been a manufacturer and supplier of gas cylinders and accessories for camping and leisure since 1975. Over forty years of experience in the production of gas articles and accessories for camping and leisure – LPG cylinders, stoves, lamps, welders and parabolic heaters – has allowed us to continue to implement our production with the New Workline line of containers for technical gases and tanks for compressed air dedicated to very different markets, from the automotive, to the pneumatic to the air conditioning and refrigeration markets.

Today, Eurocamping offers high-quality products, made in Italy and manufactured following the highest quality standards through stringent process controls, constant research and technological innovation to satisfy the needs of its Customers. Thanks to a company philosophy devoted to innovation and quality, today Eurocamping is recognized as an international leader in the production and supply of cylinders, gas accessories for camping and tanks.

Producers since 1975

For over forty years, Eurocamping has been a manufacturer of gas cylinders and accessories for camping and leisure, gas cylinders for technical gases and compressed air tanks.

Made In Italy

Eurocamping has always produced all its products in Italy

Certified Quality

Each product can be customized and manufactured according to the standards of the individual countries of destination.





Certified

Eurocamping is a certified ISO9001 supplier. The guarantee of the high-quality Made in Italy of its products has been tested and recognized by the most famous international centres and this has earned the trust and loyalty of the most demanding clientele, in the outdoor as in the automotive, refrigeration/air conditioning sectors.



Workline is the line of technical products for industry – containers for technical gases, refrigerants and compressed air tanks – produced by Eurocamping and destined for the automotive, refrigeration, plant engineering and pneumatic sectors.

EUROCAMPING srl

a socio unico

Via Colorne, 50 - 25030 Castel Mella (BS) Italy

Tel. +39 030 3581898 Tel. +39 030 3582027 Fax +39 030 3582031

E-mail: eurocamping@eurocamping.eu Site: www.eurocamping.eu

For more information contact us:

Commercial sales:

commerciale@eurocamping.eu Commercial purchases: acquisti@eurocamping.eu Technical office: tecnico@eurocamping.eu

C.F. 00619750177 - P.IVA 03430720171
© 2017 EUROCAMPING - Web by dexanet.com







Technical gas cylinders

A range of technical containers for industry and the containment of refrigerant gases of capacity from 2.5 to 22 L approved according to Directives 2014/68/EU PED and 2010/35/EU T-PED.



TECHNICAL GAS CYLINDERS > CLASS 2A REFRIGERANTS



Cylinder - green RAL (6018) - for class 2A refrigerant gas - conforms to Directive 2010/35/EU T-PED - 2.5 L - handle H 105 mm - base ring D.160 mm - 17E thread - pressure 48 bar



Cylinder - green RAL (6018) - for class 2A refrigerant gas - conforms to Directive 2010/35/EU T-PED - 4.8 L - handle H 120 mm - base ring D.205 mm - 17E / 25E thread - pressure 36 / 48 bar







Cylinder - green RAL (6018) - for class 2A refrigerant gas - conforms to Directive 2010/35/EU T-PED - 7 L - handle H 120 mm - base ring D.205 mm - 17E / 25E thread - pressure 36 / 48 bar



Cylinder - green RAL (6018) - for class 2A refrigerant gas - conforms to Directive 2010/35/EU T-PED - 12 L - handle H 120 mm - base ring D.205 mm - 17E / 25E thread - pressure 36 bar



Cylinder - green RAL (6018) - for class 2A refrigerant gas - conforms to Directive 2010/35/EU T-PED - 12.5 L - handle H 120 mm - base ring D.205 mm - 17E / 25E thread - pressure 36 / 48 bar







Cylinder - green RAL (6018) - for class 2A refrigerant gas - conforms to Directive 2010/35/EU T-PED - 12.5 L - handle H 158 mm - base ring D.229 mm - 17E / 25E thread - pressure 48 bar



Cylinder - black - for class 2A / 2F refrigerant gas - conforms to Directive 2014/68/EU T-PED - 12 L - small handle - base ring D.205 mm - 25E thread



Cylinder - black - for class 2A / 2F refrigerant gas - conforms to Directive 2014/68/EU T-PED - 22 L - small handle - base ring D.205 mm - 25E thread





TECHNICAL GAS CYLINDERS > CLASS 2F REFRIGERANTS



Cylinder - red RAL (3000) - for class 2F refrigerant gas - conforms to Directive 2010/35/EU T-PED - 2.5 L - handle H 105 mm - base ring D.160 mm - 17E thread - pressure 48 bar



Cylinder - red RAL (3000) - for class 2F refrigerant gas- conforms to Directive 2010/35/EU T-PED - 4.8 L - handle H 120 mm - base ring D.205 mm - 17E / 25E thread - pressure 36 /48 bar



Cylinder - red RAL (3000) - for class 2F refrigerant gas- conforms to Directive 2010/35/EU T-PED - 7 L - handle H 120 mm - base ring D.205 mm - 17E / 25E thread - pressure 36 /48 bar







Cylinder - red RAL (3000) - for class 2F refrigerant gas- conforms to Directive 2010/35/EU T-PED - 12 L - handle H 120 mm - base ring D.205 mm - 17E / 25E thread - pressure 36 bar



Cylinder - red RAL (3000) - for class 2F refrigerant gas- conforms to Directive 2010/35/EU T-PED - 12.5 L - handle H 120 mm - base ring D.205 mm - 17E / 25E thread - pressure 36 /48 bar



Cylinder - red RAL (3000) - for class 2F refrigerant gas- conforms to Directive 2010/35/EU T-PED - 12.5 L - handle H 158 mm - base ring D.229 mm - 17E / 25E thread - pressure 48 bar







Cylinder - black - for class 2A / 2F refrigerant gas - conforms to Directive 2014/68/EU T-PED - 12 L - small handle - base ring D.205 mm - 25E thread



Cylinder - black - for class 2A / 2F refrigerant gas - conforms to Directive 2014/68/EU T-PED - 22 L - small handle - base ring D.205 mm - 25E thread





TECHNICAL GAS CYLINDERS > GAS CLASS 2TC



Cylinder - yellow RAL (1018) - for sulphur dioxide - conforms to Directive 2010/35/EU T-PED - 2.5 L - handle H 105 mm - base ring D.160 mm - 17E thread - pressure 14 bar



Cylinder - yellow RAL (1018) - for sulphur dioxide - conforms to Directive 2010/35/EU T-PED - $4.8\,L$ - handle H 120 mm - base ring D.205 mm - 17E thread - pressure 14 bar



Cylinder - yellow RAL (1018) - for sulphur dioxide - conforms to Directive 2010/35/EU T-PED - 7 L - handle H 120 mm - base ring D.205 mm - 17E thread - pressure 14 bar







Cylinder - yellow RAL (1018) - for sulphur dioxide - conforms to Directive 2010/35/EU T-PED - 12.5 L - handle H 120 mm - base ring D.205 mm - 17E thread - pressure 14 bar







Tank for compressed air

A range of containers for the containment of compressed air for the automation, plant engineering and pneumatic industry, with capacities from 0,5 to 12 litres with two and four outlets, approved according to Directive 2014/68/EU PED.



TANK FOR COMPRESSED AIR > 2-WAY TANKS

51051095

EAN CODE: **8020189005278**

Tank - blue - for compressed air - Conforms to Directive 2014/68/EU PED -

0,5 L - pressure 11 bar - two G1/2" F outlets

PACKAGING DATA: PZ 12 / PL Kg. 7,1 / MC 0,022









51051021

EAN CODE: 8020189000129

Tank - blue - for compressed air - Conforms to Directive 2014/68/EU PED -

1 L - pressure 11 bar - two G1/2" F outlets

PACKAGING DATA: PZ 12 / PL Kg. 11,5 / MC 0,029



51051022

EAN CODE: 8020189000136

Tank - blue - for compressed air - Conforms to Directive 2014/68/EU PED -

2.5 L - pressure 11 bar - two G1/2" F outlets
PACKAGING DATA: PZ 6 / PL Kg. 8 / MC 0,039



51051023CE

EAN CODE: 8020189000143

Tank - blue - for compressed air - Conforms to Directive 2014/68/EU PED -

4.8 L - pressure 11 bar - two G1/2" F outlets
PACKAGING DATA: **PZ 4 / PL Kg. 10 / MC 0,039**



51051024CE

EAN CODE: 8020189000150

Tank - blue - for compressed air - Conforms to Directive 2014/68/EU PED -

7 L - pressure 11 bar - two G1/2" F outlets

PACKAGING DATA: PZ 4 / PL Kg. 12 / MC 0,055







51051025CE

EAN CODE: **8020189000167**

Tank - blue - for compressed air - Conforms to Directive 2014/68/EU PED - 12 L - pressure 11 bar - two G1/2" F outlets

PACKAGING DATA: **PZ 2 / PL Kg. 9,5 / MC 0,045**





TANK FOR COMPRESSED AIR > 4-WAY TANKS



51551021

EAN CODE: 8020189003090

Tank - blue - for compressed air - Conforms to Directive 2014/68/EU PED -

1 L - pressure 11 bar - four G1/2" F outlets

PACKAGING DATA: PZ 12 / PL Kg. 12,5 / MC 0,029



51551022

EAN CODE: 8020189003106

Tank - blue - for compressed air - Conforms to Directive 2014/68/EU PED -

2.5 L - pressure 11 bar - four G1/2" F outlets

PACKAGING DATA: PZ 6 / PL Kg. 8,5 / MC 0,039



51551023CE

EAN CODE: 8020189003113

Tank - blue - for compressed air - Conforms to Directive 2014/68/EU PED - $4.8\ L$ - pressure 11 bar - four G1/2" F outlets

PACKAGING DATA: PZ 4 / PL Kg. 10 / MC 0,039



51551024CE

EAN CODE: **8020189003120**

Tank - blue - for compressed air - Conforms to Directive 2014/68/EU PED - 7 L - pressure 11 bar - four G1/2" F outlets

PACKAGING DATA: PZ 4 / PL Kg. 12 / MC 0,055







51551025CE

EAN CODE: **8020189003137**

Tank - blue - for compressed air - Conforms to Directive 2014/68/EU PED - 12 L - pressure 11 bar - four G1/2" F outlets

PACKAGING DATA: **PZ 2** / **PL Kg. 10,5** / **MC 0,045**







Accessories

Eurocamping produces accessories for technical gas containers.



ACCESSORIES > ACCESSORIES FOR TECHNICAL GAS CONTAINERS



70501593

EAN CODE: 8020189004684

Tap for cylinder - W21.7X1/14" right M vertical outlet - W19.8X1/14" taper12% 17E connection - 33 bar safety valve - 140 mm dip pipe

PACKAGING DATA: on request



EAN CODE: **8020189005063**

Tap for cylinder - W21.7X1/14" right M horizontal outlet - W19.8X1/14" taper12% 17E connection - 33 bar safety valve

EAN CODE: 8020189005070

Tap for cylinder - W21.7X1/14" right M horizontal outlet - W19.8X1/14" taper12% 17E connection - 44 bar safety valve

PACKAGING DATA: on request







70501565

EAN CODE: **8020189005087**

Tap for cylinder - W21.8X1/14" left M horizontal outlet - W19.8X1/14"

taper12% 17E connection - 33 bar safety valve

70501564

EAN CODE: **8020189005094**

Tap for cylinder - W21.8X1/14" left M horizontal outlet - W19.8X1/14"

taper12% 17E connection - 44 bar safety valve

PACKAGING DATA: on request



70501530

EAN CODE: 8020189005049

Tap for cylinder - 7/16"-20 UNF M (1/4" SAE) horizontal outlet - W19.8X1/14" taper12% 17E connection - 31 bar safety valve

70501531

EAN CODE: 8020189005056

Tap for cylinder - 7/16"-20 UNF M (1/4" SAE) horizontal outlet - W19.8X1/14" taper12% 17E connection - 42 bar safety valve

PACKAGING DATA: on request



70501451

EAN CODE: **8020189004998**

Tap for cylinder - double liquid/gas 7/16"-20 UNF M (1/4" SAE) horizontal outlet - W28.8X1/14" taper12% 25E connection - 44 bar safety valve - 330

mm dip pipe

PACKAGING DATA: on request





EUROCAMPING srl

a socio unico

Via Colorne, 50 - 25030 Castel Mella (BS) Italy

T. **+39 030 3581898** - T. **+39 030 3582027** - F. +39 030 3582031 eurocamping@eurocamping.eu www.eurocamping.eu

Commercial sales: commerciale@eurocamping.eu

Commercial purchases: acquisti@eurocamping.eu

Technical o ice: tecnico@eurocamping.eu